Government of Maharashtra

SEAC-2013/ CR-265/TC-2 Environment department Room No. 217, 2nd floor, Mantralaya Annex, Mumbai- 400 032. Dated: 12th May, 2015

To, Mr. Gaurav Mohatta. Madhu Kunj, Shankar Ghanekar Marg, Prabhadevi Mumbai- 400025.

Subject: Environment clearance for proposed at plot no E-13,E-14 and E-15 located in MIDC Jalgaon by M/s. Benzo Chem Industries Pvt Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification, 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 94th meeting and decided to recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 82nd meeting.

2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) B1 as per EIA Notification 2006.

Brief Information of the project submitted by Project Proponent is as:

Traine of the Project	M/s Benzo Chem Industries Pvt. Limited	
Project Proponent	Mr. Gaurav Mohatta.	
Consultant	Sadekar Enviro Engineers Pvt. Ltd.	
New Project / Expansion	Expansion in existing project	
Activity schedule in the EIA Notification	Schedule 5 (f), Project Category -B1	
	Total Plot Area: 12150 sq. m	
Area Details	Builf Up Area (Existing + Proposed): 2283 sq. m.	A Company of the Comp
	Green Belt Area: 4045 sq. m	
	Open Area: 5822 sq. m.	
Name of the Notified Industrial area / MIDC	Jalgaon MIDC (Notified Industrial Area)	
TOR given by	The application was submitted to SEAC-1 on 05-03-2013. Co of 2014 the 81 st SEAC meeting was conducted in which TO granted.	On 20 th June R was

		In. i.i.	Duamagad	Total	-
	Parameters	Existing	Proposed		_
	Land	0.3359 Cr		0.3359 Cr	_
	Factory building	1.0409 Cr		1.0409 Cr	
	Plant and Machinery	3.3509 Cr		3.3509 Cr	
	Furniture & Fixtures	0.0793 Cr		0.0793 Cr	
Estimated capital cost of	Computers	0.1599 Cr		0.1599 Cr	
he Project (including cost	Office Equipment	0.1813 Cr	J	0.1813 Cr	
or land, building, plant	Vehicles	0.5762 Cr		0.5762 Cr	
and machinery separately)	Proposed Capital	and the last and the tary for the first time and the first the	2.00 Cr	2.00 Cr	
	Cost of project		·		
	Total	Rs: 5.7244 C	Cr 2.00 Cr.	7.7244 Cr.	
	Note: The existing	capital investme	ent of the		
	project is 5.7244 C	r and proposed	project capital		
	investment cost is 2	2 cr.			
	Existing project co	st + Proposed p	roject cost=		
	total project cost			,	
	5.7244 Cr + 2.00	Cr = 7.7244 Cr	r		
	[] Latitude:- 20° 58	'51''N			
Location details of	Langitude:- 75° 3	35' 08" E			
the project:	II Location: - Plot	No.E-13, E14 &	د E15, MIDC .	Jalgaon	
	☐ Elevation above I	Mean Sea Level	(meters):- 213	m	
	.,,,,,,,		Proposed		
	Name of	Production	activity		
	products, by		(new/moder	n Total Prod	uctio
	products and	Existing	ization/expa	ın (T/year)	
	intermediate	(MT/year)	sion)		
Production details	products		MT/Year.		
*	EXISTING	I	PROPOSED		ТО
					TA
					L
	NAME	QTY 1	NAME	QT	QT
		MT/	. 11 11 11	Y	Y
					<u> </u>
	iance ar	-2-		•	
	tech of by				
	rigis (Island				
	1、1:19g4/146 (1677年14号)。				
	william : adjate				
	niar adjair aroti da	· .			

1.0345-3.634		T		
	Α		MT/	MT/
			A	Α
Para choro meta cresol	60	Para chloro meta	60	120
(PCMC)		cresol (PCMC)		
Sodium salt of para	1.20	Na salt of para chloro	1	2.20
chloro meta cresol		meta cresol		
4-Chloro thymol	1.20	4-Chloro thymol	1	2.20
1-Chloro napthalene	6	1-Chloro naphthalene	2	8
2:4 Di chloro benzyl	1.20	2:4-Dichloro benzyl	16	17.2
alcohol	ľ	alcohol		17.2
1-Chloro	2.40	1-Chloro	150	152.
methylnapthalene		methylnapthalene	100	4
Para chloro meta	1.20			1.20
xylenol				1.20
Para chloro meta	1.20			1.20
cresol/liquid/protector-l				1.20
Ortho chloro phenyl	1.20		ļ	1.20
acetic acid			9	1.20
Dichloro meta xylenol	6		-	6
(DCMX)				,
Benzyl Cyanide (BCN)	36			0*
Ortho Chloro	24			0*
Benzaldehyde (OCB)				
Ortho Chloro Benzoic	3			0*
Acid (OCBA)				
Ortho Chloro Benzo Tri	3			0*
Chloride (OCBTC)				
2:4 Di Chloro Benzyl	12			0*
Chloride (2:4 DCBC)				
2:4 Di Chloro Benzyl	6		<u> </u>	0*
Cyanide (2:4 DCCN)				U
2:4 Di Chloro	1.2			0*
Benzaldehyde				
i de ty				

-3-

SOUGH.

The second section of the second section of the second section				
Para Chloro Phenyl	1.2			0*
Acetic acid				
Benzaldehyde Ortho	36		şı .	0*
Sulphonic acid sodium			14	
salt			N.	
Meta Chloro Benzyl	6			
图 机环糖 具數學 唯 日间原列 "去"	0			0*
Cyanide				
Meta Chloro Benzo	1.2			0*
Nitrile				
Ortho Chloro Benzyl	1.2			0*
Chloride				
Ortho Chloro Benzyl	1.2			0*
Nitrile				
Ortho Chloro Benzyl	1.2			0.4
Cyanide	1.2		 	0*
	1.0			
2:4 Di Chloro Phenyl	1.2			0*
Acetic Acid				
Meta Chloro Benzyl	6			0*
Chloride (MCBC) 3-				
Chloro Benzyl Chloride				
Meta Chloro	6			0*
Benzaldehyde (MCB)				
or 3- Chloro			÷	
Benzaldehyde				
Para Anisaldehyde or	6			0*
Para Methoxy				0*
Benzaldehyde or Para				
Anisic Aldehyde			:	
Para Chloro Benzo				
[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]				0*
Nitrile				
Para Fluro Benzyl	-			0*
Chloride				
X Chloro Methyl				0*
		· · · · · · · · · · · · · · · · · · ·		

Ten fering 44-Various in the c Para land and c

Zirii Menden

Phenyl Acetic Acid				T	
3-ISO Chromanone		-			0*
			1-Napthaldehyde	4	4
			2-Amino-2-phenyl	20	20
	•		butyric acid		
			5-Chloro-2- hydroxy	4	4
			benzophenone	6	
			2-Dimethylamino-2-	6	6
			phenyl-1-butanol	4	
A Windows III A Walley					
			4-Methoxy phenyl	100	100
Manager 1			acetone		
es de la companya de			Alpha bromo-2-chloro	150	150
			phenyl acetic acid	",	
			methyl ester		
			2,4-Di chloro meta	10	10
and the same of th	÷ ;		xylenol		
			Meta hydroxy phenyl	1	1
		ļ , :	acetic acid		
			2-Phenyl butyric acid	3	3
			N-Methyln-1-	10	10
			napthalenemethyl	-	
			amine hydrochloride		
			(N MAN: HCI)	J.	
			Ortho	2	2
			phthaladehyde(OPA)		
			2-Chloro-4,6-	5	5
			dimethoxy-1,3,5-		
Province and the second			triazine	.,.	
	7		1-Acetylnapthalene	10	10
					2
erani e erania			acetic acid		 i

	I de la companya del companya de la companya del companya de la co	T						
			4-Methyl benzyl	5	5			
			chloride					
	Bi-products	-	Bi-products					
	Hydrochloric acid	10	<u> </u>					
		40	Hydrochloric acid	77	117			
	(HCI)		(HCl)	4 .				
	Chlorinated cressol /	0.04	Chlorinated cressol /	12	12.0			
	Cresylic acid		Cresylic acid	1:	4			
			Sodium bisulfite	30	30			
			(NaHSO ₃)	٠.				
	TOTAL	299.2	TOTAL	681	802.			
		MT/		MT/	64			
		A		Á	MT/			
•				¥ -	A			
	Note - "0*" indicates the	product	ion of these products ha	s been	لببنا			
	stopped.							
	Existing Bi-products	MT/	Proposed Bi-	MT/	Total			
* 		A						
		A	products	A 1	MT/			
					A			
	Hydrochloric acid	40	Hydrochloric acid	77 ·	117			
	(HCI)		(HCI)					
By Products	Chlorinated cressol /	0.04	Chlorinated cressol /	12	12.04			
	Cresylic acid		Cresylic acid	12.	12.04			
		ļ						
			Sodium bisulfite	30	30			
			(NaHSO ₃)					
	Total	40.04		119	159.0			
					4			
Rain Water	Level of the Ground w	rater to L	20.40		T			
Harvesting(RWH)	1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			ŗ				
The contribute of the contribu	[] Size and no of RWH ta							
	Total water requirement	: 62 CM	ID					
	☐ Source: Jalgaon MIDC.							
Total Water Daguing	Quantity of water required for Existing unit: 22 CMD							
Total Water Requirement	☐ Domestic : 2 CMD		6 W OMID					
	IJ Process: 2.5 CMD							
	☐ Boiler: 9.5 CMD							
	-6-							

	L1	Industrial Cooli	ing:3 CMD								
		Garden ; 5 CM	D		98						
	Qu	Quantity of water required for Proposed Activity: 40 CMD									
		[] Domestic: 3 CMD									
	UI	LI Process: 4.5 CMD									
	DE	☐ Boiler: 20 CMD ☐ Industrial Cooling: 7.5 CMD									
	in (Garden:5 CM	D								
Storm water drainage	ON	Vatural water dr	ainage pattern :Yo	es							
			400 mm x 600 mr								
Sewage generation and		Amount of sew	age generation - (04 CMD							
treatment				e: septic tank foll	owed by ETP						
1307-7-7		tment.									
		Parameters									
	Sr.	(pH,	Inlet effluent	Outlet	Effluent As per						
	no	BOD,COD,	characteristic	effluent	for Inland use						
	110	heavy	Mg/L	characteristic	standard						
		metal. etc		Mg/L	(CPCB)						
	1	pН	6.08	7.0	5.5 to 9.0						
	2	BOD	13784	63	100						
	3	COD	28000	190	250						
Tied	4	TDS	64644	292	2100						
Effluent characteristic	5	TSS	3868	56	100						
	6	Oil and Grease	16	3.8	10						
	7	Cyanide	<0.001	N.D	0.2						
	Note:-1)All the parameters are express in mg/L except pH.										
	2) Ti	rade effluent co	ontaining cyanide	stream is separate	i pri.						
	Sodi	um Hypochlori	te or sodium kien	stream is separate lphate to precipita	ry treated with						
	respe	ective salt and s	solid this remove	The effluent free f	ite as there						
	chec	k and conforme	ed and mix with w	maining effluent	rom cyanide is						
	furth	er	dation Addition 16	manning eithent	and treated						
ETP details	OT	otal Quantity of	effluent: 12.7 CN	MD							
	1.5		quantity: 3.5 CM								
		and an		·							

-7-

···	機能計					\$					
	□ Pro	posed effluent quantit	y: 9.2 CMD								
	[7] Capacity of the ETP (CMD): 15 CMD										
Note on ETP technology	Oil and Grease trap, neutralization tank, stripper column, settling tank,										
to be used	Triple Effect Evaporator followed by oxidation tank and PSF and ACF										
	for Zero discharge.										
Disposal of the ETP	1814(P) (1	ETP sludge disposed by CHWTSDF at Ranjangaon, Pune.									
sludge (If applicable)			wrodi at Ka	njang	aon, Pune.						
				<u> </u>		Form					
	Sr. no	Source	Existing	Pro	posed	(sludge/Dry					
			Qty(TPM)	Qt	y(TPM)	slurry etc.)					
		Empty Drums (Non		-		siuity etc.)					
	1.	Hazardous)	50 No./M	100	No./M	Dry					
					· · · · · · · · · · · · · · · · · · ·						
		Paper Bags									
	2.	(Non Hazardous)	-	100	No./M	Dry					
		T (jant. Wrigatin) :									
	If wast	e(s) contain any hazai	rdous/toxic su	bstanc	ce/radioacti	ve					
	materia	als or heavy metals th	ien provide qu	antity	, disposal	data and					
		ed precautionary meas									
	Hazard	lous Waste Generation	•								
					Form	T .					
Solid waste Management					(sludge/						
	Sr.	Source Existing	Propose	d	Dry	Compositi					
	no	Qty(TPN	I) Qty(TPN	1)		on					
					/slurry						
		Decoase			etc.)						
		Process	0.40 MT	/M							
		Residue 0.01 MT/	M = 0.41M'	Г/М	Solid	Organic					
		and waste				-					
		ETP	1.2 MT/N	1							
		Sludge 0.8 MT/N	M	v1	Sludge	Chemical					
			2 MT/M			mass					
		Distillatio	1.0 MT/N	<u> </u>		Organic					
]]3	n residues 0.5 MT/N	$M \mid 1.5MT/M$		Sludge	Mass					
	• What	are the possibilities of	1								
	Possih	le users of solid waste	The man 1.	ecyci	ing or wast	es?:Nil					
	1 - 3310	ole users of solid waste	ine non haza	irdous	s solid wast	e sold to					
		P. C. (1)									
		表演型的 是基本									
		griff pringto (*)									
r											

Z+ .		- 4							
		autnoriz	e dealer	or sent	o recycler.				
		• Method of disposal of solid waste: Hazardous waste sent to CHWTSDI							JE ·
9 200		at Ranja	ingaon P	une.				O11 W TOL	<i>71</i> ′
200			T.		Ι α			¥.	
10.00		Sr. No	Polluta	nt	Source of	f Total gas		Concentration	on
4.500					emission	Quantity		in flue gas	
1000		1	SPM		Boiler	8236 Nm3	3/h	124 mg/Nr	n3
	Atmospheric Emissions	2	SO ₂		Boiler	8236 Nm3	l/h	33 kg/d	
	(SPM, SO ₂ , NO _x , CO, etc.)	3	NO _X	:	Boiler	8236 Nm3	J/h	53 mg/Nm	3
		5	Chlorin						
			Cinorill	6	******	-		e e	
		6.	Hydroc	hloric				13.7	·
			Acid		Scrubber	mg/Nm³		13./	
	Stack emission Details:	Plant		Heigh	t from	Internal	Γ		
		section &	Stack		d level	diameter	-	. . .	
		units	no	i	a lovel		1 emp	o. of exhaust	
			-	(M)		(top)(m)		: Marie 1	
		Boiler (2 nos.)	1	30 M		0.8	130°	С	
		Existing		2347					
		D.G. Set			Above the	0.300 m	145-1	55 °C	
		Scrubber] -] -	roof)				**	
		Sortaboci		7 M	<u> </u>	0.275 m	35-40	°C-	
-		D-U	····						
		Pollutants	Emiss	ion sta	ndard	Daviotica 11	•,		\neg
		(SPM,SO ₂ ,		100	. 1	Existing lim	ıt		
	Emission Standard	ect	inini (as per (J.1.O)	(mg/Nm ³)			
	tegen komunika di sebagai kendulan di sebagai kendulan di sebagai kendulan di sebagai kendulan di sebagai kend Sebagai kendulan di sebagai ke	SPM	150 m	g/Nm³		124			
		SO ₂	108 K	g/day		33			
-						Proposed	,		_
		Pollutant	Permis	sible st		concentration			
		and their same changes of					1	Remarks	•
Α	ambient Air Quality Data	PM 2.5	60 μg/1	3		(in μg/m ³)			
	· · · · · · · · · · · · · · · · · · ·	PM 10				28.40			
		and the second	100 μg			70.20		- As per	ŀ
-		SO ₂	80 μg/ı		2	23.40		NAAQM	1
		NO _X	-80 µg/ı	n³	3	38.00		limit	
_		(S) 10.7g							
				^					
	en e	Av.		-9-					
	4	Track to the state of the state	1) 						
		1. 11							
						•			
	· · · · · · · · · · · · · · · · · · ·	A CONTRACTOR OF THE CONTRACTOR							
					*				

	Daily Consumption - Calori	fic
	Sr. TPD/KLD) value	% %
	no Fuel (k cal	/ ash Sulphur
	Existing Proposed kg)	
Details of Fuel to be used:	1 Diesel 200 200 L/ 10,800	0.05-
	L/Day Day Kcal/F	(g 0.02 % 0.25%
	2. Coal/ 5 TPD 5 TPD 4487	3.2 % 0.5%
	Biomass Kcal/F	(g
	[Source of Coal /Diesel : local vendor	
	Mode of transportation of fuel to site: By Road	1
	Power supply: MSEDCL	
	11 Connected Load: 464 KVA	
	Proponent has applied for extra power load of	189 KVA
	La Existing power demand: 400 KVA	
	☐ Proposed power demand: 50 KVA	
Energy	Total (Existing + Proposed) demand will be an	ound 450 KVA
	Existing DG sets	
	til Number: 01	
	Elcapacity: 320 KVA	
	Details of the non-conventional renewable er	nergy proposed to be
	used : Nil	
Green Belt Development	Green belt area (Sq. m.): 4045 Sq m	
	Sr. Existing pollution control	Proposed to be
	no system	installed
	Scrubbers,	One HBR scrubber
	condenser and dust collectors	is proposed.
Details of Pollution	Participation of the second se	Oxidation tank and
Control Systems	2 Water ETP & MEE	PSF, ACF as tertiary
	THE MEE	treatment is
		proposed
	3 Nicios Trucco co	Acoustic Enclosure
	Noise Ear muffs and ear plugs	for DG sets.
	And the same of th	
to na pri	中央中国社会社会主義社会社会社会社会社会社会社会社会社会社会社会社会社会社会社会社会社会	

	4	Solid Disposal to Authori	zed	Existing Facilities		
		waste common facility		will be used.		
		l cost of the proposed project:				
	[] Cap	ital cost of pollution control (\	With break up)	: 20,00000/-		
	□ 0&	M cost of pollution control (W	ith break up)	4,00,000/-		
5.	Sr.		Recurring	Capital		
Environmental	no		Cost/A in	Cost/A in		
Management plan plan		Military Communication (Communication Communication Commun		Rs.		
11 O&M cost (With	1,6	Air Pollution Control	1,00,000/-	6,00,000/-		
break up):	2	Water Pollution Control	2,00,000/-	11,00,000/-		
Budgetary Allocation	3	Noise Pollution Control	30,000/-	1,00,000/-		
	4	Environment monitoring and Management	30,000/-	1,00,000/-		
	6	Occupational health	20,000/-	20,000/-		
	7	Green Belt	10,000/-	50,000/-		
	8	Solid waste management	10,000/-	30,000/-		
EIA		Total Cost	4,00,000/-	20,00,000/-		
DIA	EIA sub	mitted on 7/1/2015 to SEAC-1	1			

Storage of chemicals (inflammable /explosive/hazardous/toxic substances)

		· · · · · · · · · · · · · · · · · · ·	-		cardous/toxic su	ostances)		
Si	Name	Number of storage's	Capacit	Physical and Chemical composition	Consumption (in TPD)	Maximu m Quantity of storage at any point of time	Source of supply	Means of transport
1	Methanol	12 Barrels	200 lit	Liquid 99%	0.10	2 KL	Local Purchas	By Road
2	Hexane	9 Barrels	200 Lit	Liquid/=	0.50	2 KL	Local Purchas	By Road
3	Toluene	1	15 KL	Liquid	0.20	15 KL	Local	By Road

136	1	7		12.45 (I);	國際相談 经国际共享的 医二甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	197-1		a seemen of the state of the st	•
		Under-			99%			Purchas	
		ground						е	
		Tank				The state of the s			
4	Sodium	6			Solid			Local	D D 1
4	Cyanide	Drums	50	Kg	98%	0.10	3.0 MT	Purchas	By Road
× i								e.	
		1Under-							
s.	Sulphuri	ground	20	77.1				Local	,
##.	c acid	MS	20	KL	Liquid (0.4	5 KL	Purchas	By Road
	·	Tank	·				*	е	
18 . 18 .								Local	
6.	Chlorine	Tonner	0.9	MT -	Gas	0.2	2.7 MT	Purchas	By Road
								е	
3-						<u> </u>	L	<u> </u>)

3. The proposal has been considered by SEIAA in its 82nd meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

General Conditions for Pre-construction phase:-

- (i) This environment clearance is issued subject to providing 6m access road for proposed new boiler.
- (ii) No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
- (iii) For controlling fugitive natural dust, regular sprinkling of water & wind shields at appropriate distances in vulnerable areas of the plant shall be ensured.
- Regular monitoring of the air quality, including SPM & SO2 levels both in work zone and ambient air shall be carried out in and around the power plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with Maharashtra Pollution Control Board (MPCB) & submit report accordingly to MPCB.
- (v) Necessary arrangement shall be made to adequate safety and ventilation arrangement in furnace area.
- (vi) Proper Housekeeping programmes shall be implemented.
- (vii) In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
- (viii) A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set.(If applicable)
- (ix) A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
- (x) Arrangement shall be made that effluent and storm water does not get mixed.

- (xi) Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
- Leq of Noise level shall be maintained as per standards. For people working in the (xii) high noise area, requisite personal protective equipment like earplugs etc. shall be
- The overall noise levels in and around the plant are shall be kept well within the (xiii) standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules,
- (xiv) Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept. (xv)
- Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
- Occupational health surveillance of the workers shall be done on a regular basis and (xvi) record maintained as per Factories Act.
- (xvii) The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
- (xviii) The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
- The company shall undertake following Waste Minimization Measures: (xix)
 - Metering of quantities of active ingredients to minimize waste.
 - •Reuse of by- products from the process as raw materials or as raw material substitutes in other process.
 - Maximizing Recoveries:
 - Use of automated material transfer system to minimize spillage. \$1.37 清
- Regular mock drills for the on-site emergency management plan shall be carried out. (xx)Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
- A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. 1 10000
- (xxii) Transportation of ash will be through closed containers and all measures should be taken to prevent spilling of the ash. off of the
- (xxiii) Separate silos will be provided for collecting and storing bottom ash and fly ash. dies of n
- (xxiv) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
- Wate of (xxv) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi 批批的原

the mak Stockel

Will be tion the

be align

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in

- (xxvi) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (xxvii) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xxviii) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xxix) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xxx) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act, or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- The Environment department reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 6. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years to start of production operations.
- 7. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

oty court disector 141 10 de ou let fine Fa 10 de ou let fine Fa 10 de recurse dons d 10 de recurse dons d

Throigney, et la 1975 e Pete days repson

- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, Ist Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(Sitaram Kunte)
Principal Secretary,
Environment department &
MS, SEIAA.

Copy to:

- Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
- 2. Shri T. C. Benjamin, IAS (Retired), Chairman, SEAC-I, 602, PECAN, Marigold, Behind Gold Adlabs, Kalyani Nagar, Pune 411014.
- 3. Additional Secretary, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 6. Regional Office, MPCB, Nashik.

 $\mathcal{F}_{\mathcal{T}}^{\sigma}$

J.

- 7. Collector, Jalgaon
- 8. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 9. Select file (TC-3)

(EC uploaded on 13/05/2015)

Cros.

estat.

Train Well